

TEL:  
FAX:

**OFFER Nr.:**  
**25-170731113824**

U/Ref.:

Dear Mr.

Following your request we are pleased to send you following our terms of trade the quotation for:

## 1 Trailer MAX300

MAX300-N-3-7.50



### MAX TRAILER DISTRIBUTION


8, Duarrefstrooss  
L-9990 WEISWAMPACH  
[maxtrailer.eu](http://maxtrailer.eu)

T: +352 26 90 04 474  
F: +352 26 90 04 425  
[info@maxtrailer.eu](mailto:info@maxtrailer.eu)

Matrikelnr. 2008 2231 804  
HR/RC Diekirch: B142.831  
ID: LU 231 38776

(L): BGL BNP PARIBAS  
IBAN LU98 0030 3501 4206 0000 BIC BGLLULLL

Powered by **FAYMONVILLE GROUP**



## MAX TRAILER DISTRIBUTION

8, Duarefstrooss  
L-9990 WEISWAMPACH  
maxtrailer.eu

T: +352 26 90 04 474  
F: +352 26 90 04 425  
info@maxtrailer.eu

Matrikelnr. 2008 2231 804  
HR/RC Diekirch: B142.831  
ID: LU 231 38776

(L): BGL BNP PARIBAS  
IBAN LU98 0030 3501 4206 0000 BIC BGLULLLL

**Technical data**

MAX300-N-3-7.50

Speed:	80 km/h
Axle load:	31 500 kg
Gross weight:	31 500 kg
Tare weight (+/- 3%):	5 866 kg
Pay load ca.:	25 634 kg
Loading length:	7500 mm
(O)	
Width:	2 540 mm
Fifth wheel height loaded:	700-775-850 mm
Loading height by max. load:	860 mm
Suspension:	-45/+145 mm

**Technical description****Loading platform:**

Loading platform with chamfered beaver tail by about ca. 1 000 mm x 8°.  
4 pairs of droprings in the loadplatform, hinged outward (LC 5 000 daN).  
3 pairs of droprings in the loadplatform, hinged outward (LC 10 000 daN).  
Hardwood covered thickness 48 mm above of the axles chequer plate.

**Tire:**

Tire 235/75 R17.5 according to choice of the manufacturer.

**Braking system:**

Braking system WABCO following EU-regulations with EBS-E (2S2M) system, without connection to the truck.

**Finishing:**

Top quality and long-lived protection against corrosion of the welded frame (standard steel grid blasted) guaranteed by  
-a 2 components of 2K zinc rich epoxy primer  
-a high quality 2 components 2K direct to metal top coat.

**Lighting equipment:**

24-Volt "Aspöck-Nordik" (ASS 3) conform to the EU-regulations.

**Steel construction:**

Steel construction of high tensile steel.

Steel grade:

\*\*S355J2+N/S355MC (yield strength 355MPa)

\*\*S690QL/S700MC (yield strength 690MPa)

**Axles:**

SAF axles with drum brake, pneumatic suspension with lifting/lowering valve.

Last axle friction steered and electropneumatic locking device for reverse drive activated by reverse or manual.

Axle tools.

**MAX TRAILER DISTRIBUTION**

8, Duarrefstrooss  
L-9990 WEISWAMPACH  
[maxtrailer.eu](http://maxtrailer.eu)

T: +352 26 90 04 474  
F: +352 26 90 04 425  
[info@maxtrailer.eu](mailto:info@maxtrailer.eu)

Matrikelnr. 2008 2231 804  
HR/RC Diekirch: B142.831  
ID: LU 231 38776

(L): BGL BNP PARIBAS  
IBAN LU98 0030 3501 4206 0000 BIC BGLLLULL

Powered by 

### Included options

- Red and yellow air couplings on the galvanised front connection ledge.
- One galvanised steel headboard, height  $\pm$  400 mm.
- Manual and description
- **One +/- long drowbar , towing eye ( 68mm diameter ) .**
- 1 mechanical landing gears;
- Galvanised landing gears at the rear under the loading platform.
- Spare wheel holder with spare wheel mounted on the drawbar.
- Holder for one beacon light at the rear of the trailer.
- Reflectors (red or yellow) according to the EU regulation at the rear of the trailer.
- Yellow reflective tape according to the EU regulation over the entire length and at the rear.
- **2 pairs of containerpockets incorporated into the loading platform for 1x20'. ( $\pm$  20kg)**
- **5 pairs of pockets for stakes ca. 100 x 50 mm in the outer frame of the loading platform. ( $\pm$  18kg)**
- **Galvanised outriggers, extendable up to ca. 230 mm per side. ( $\pm$  230kg)**
- **Profile displaceable as hook-on device for alu-ramps at the rear.**

### Colors

Trailer	RAL 3002 Karminrot
Rims	silvergrey

**for the price of:**

**33 500,- EUR**

**Delivery date:**

**Conditions of payment:**

**Validity:** 30 days except delivery time.

**Warranty:** 1 Year

#### **MAX TRAILER DISTRIBUTION**

8, Duarrefstrooss  
L-9990 WEISWAMPACH  
[maxtrailer.eu](http://maxtrailer.eu)

T: +352 26 90 04 474  
F: +352 26 90 04 425  
[info@maxtrailer.eu](mailto:info@maxtrailer.eu)

Matrikelnr. 2008 2231 804  
HR/RC Diekirch: B142.831  
ID: LU 231 38776

(L): BGL BNP PARIBAS  
IBAN LU98 0030 3501 4206 0000 BIC BGLULLLL

Powered by 

Any handwritten comments/changes are only binding after technical and commercial approval.

We ask you to provide us the proof of financing, leasing or similar 2 months prior to delivery.

Please find enclosed the technical data sheet of the truck to fill in as soon as possible. A delay in sending back this sheet can result in a delivery delay of the vehicle.

We reserve the right to make technical or constructive changes serving the security or the technical progress.

Please note that all additional works as well as:

- Instruction elsewhere than Bütgenbach
- Freight charges
- Possible required works on your truck unless not included in delivery (ex.: laying of air, light or hydraulic connections)

will be charged separately in case they are not mentioned in the order confirmation.

These works will be charged at the hourly rate of assembly plus material costs.

.....  
(Salesman)

.....  
(Customer)

#### UAB Puronas

TEL: 370-650-77315

FAX:

E-Mail: [info@puronas.lt](mailto:info@puronas.lt)